

ID	Sex	Weights														Notes
		Hatch	Hatch wt	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	
76	m	095 784 526		6/2	1.30		1.54		1.5				1.46		1.14	bad water, mold in silkworm bins 6/6 ire, 6/10 1 liver, 7/1 broken leg. Put down
		5/23	0.775		1.5	6/6	+3	6/8	+2	6/9	"+2"	6/10	+2.5	6/14	+1	
78	m	010 833 092		6/2	1.35	6/6	1.46		1.52				1.88		2.0	7/1 can't walk, 7/7 stiff walk. Put down 7/19
		5/23	0.890		0		+1	6/8	0		6/10	+2	6/14	+2		
79	f	095 784 073		6/2	1.0	6/6	1.26		1.32				1.46		1.5	white
		5/23	0.775		+2		+3	6/8	+3		6/10	+3	6/14	+3		
84	f	095 782 887		6/2	1.0	6/6	1.12		1.16				1.08		1.2	white. Put down 7/1 very bad hocks, thin
		5/23	0.790		+3		+3	6/8	+2		6/10	+4	6/14	+4		
85		095 778 266		6/2	.56	6/6										Bloody hatch. Doesn't eat. Dead 6/15
		5/24	0.790		+2		.54 0	6/8	.52 0		6/10	.5 0	6/14	.4 0		
86		095 792 073		6/2	1.18	6/6	1.12		1.14				1.22		1.2	A little thin 6/2. 6/6 1 RE. 6/10 neurological problems. 6/29 seizure. 7/1 put down.
		5/24	0.840		0		+2	6/8	0		6/10	0	6/14	+3		
87	m	095 782 040		6/2	1.25	6/6	1.5		1.52				1.66		1.72	Navel bleeding at 2 weeks old. 7/7 poor gait. 7/10 dead
		5/24	0.910		+1		+1	6/8	+3.5		6/10	+2.5	6/14	+4		
88	f	095 768 101		6/2	1.18	6/6	1.46		1.48							Dead 6/9. Poisoned.
		5/24	0.950		0		+1	6/8	0		6/10		6/14			
89	f	095-784-075		6/2	1.06	6/6	1.28		1.26				1.4		1.46	Dead 7/7
		5/24	0.950		0		+1	6/8	+1.5		6/10	+3	6/14	+3		
83	m	095-796-050		6/2	1.3	6/6	1.5		1.4				1.56		1.64	Can't walk 6/14. Dead 6/16- put down.
		5/24	0.910		+3		+2	6/8	+3		6/10	+4	6/14	+2		
77	f	095-779-014		6/2	1.32	6/6	1.4		1.42				1.38			Dead 6/11
		5/25	0.960		+1		+1	6/8	0		6/10	+3	6/14			
90	m	095-780-377		6/2	.98	6/6	1.22		1.16				1.04		.9	Dead 6/17
		5/25	0.830		+1		+1	6/8	+3		6/10	+3	6/14	+3		
76	m	095-776-894		6/2		6/6			1.32				1.5		1.3	Dead 6/14
		5/27	0.925				1.24	6/8	+2		6/10	+2.5	6/14	+2		
77	f	095-801-548				6/6							.88			Stiff walk 6/14. 7/7 legs bending. 7/14 out all night. Put in barn to recover.
		5/28	0.805				0.94	6/8	0.96		6/10	+2	6/14	0.86		
78	m	095-790-046				6/6			1.26				1.5		1.38	Enlarged hocks 7/7, dead 12/29 cold
		5/29	0.850				1.18	6/8	0		6/10	+1	6/14	+2		
80	m	011-529-581				6/6							1.12		1.2	Dead bees 7/8
		5/29	0.860				1.02	6/8	1		6/10	+3	6/14	+2.5		
81		011-082-785				6/6			1.06							6/2 Very weak assisted hatch. Rtd to hatcher. Died
		5/29	0.775					6/8	0		6/10		6/14			

ID	Sex	Weights														Notes
		Hatch	Hatch wt	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	
87	m	010-281-350				6/6							1.3		1.2	Dead-bees 7/7
		5/30	0.775				1	6/8				6/10	+2	6/14	+3	
86	f	095-771-817				6/6			1.08						1.0	Accidental death 7/21
		5/30	0.775				.9 0	6/8	+3		6/10	.96 0	6/14	+3		
79		095-768-050				6/6			1.06				1.16		1.42	Dead 6/18
		6/1	0.775				.94	6/8	+1		6/10	+1	6/14	+3		
85		095-775-285				6/6									.76	Wings too small. 6/8 tiny-moved to baby pen. Dead 6/19 Never ate.
		6/1	0.775				.66 0	6/8	.68 0		6/10	.7 0	6/14	+3		
76		095-639-819														6/29 Very thin. 7/7 Very thin, dead 8/13
		6/6	0.760								6/10	.82 0	6/14			
77	f	005-548-103														6/29 Bent legs 7/7 can't walk, thin. Died 7/7
		6/6	0.940								6/10	.94 0	6/14			
78	m	095-799-833														Blind 7/5 bees. Steroid shot. 7/8 eyesight restored. Dead 8/22
		6/6	0.910								6/10	.86 0	6/14			
79	m	095-795-321														6/29 very thin. 7/1 same. Dead predator 9/4
		6/6	0.940								6/10	0.8	6/14			
80		095-772-628														6/11 1 liver. C'ant stand. Died 6/11.
		6/6	0.873								6/10	.85 0	6/14	0.86		
81	m	095-780-863														6/27 siezure. 7/1 legs bending. Dead 8/1
		6/6	0.950								6/10	.9 0	6/14			
82	f	095-770-395														6/21 seizure.
		6/7	0.950								6/10	.94 0	6/14			
83	054-	095-775-273														Put down 6/29
		6/7	0.785								6/10	.74 0	6/14			
84	m	011-054-273														6/29 swollen hocks. 7/1 ascites Dead7/26
		5/23	0.825								6/10	.82 0	6/14			
85	f	095-791-353														Dead 7/2
		6/7	0.900								6/10	.9 0	6/14			
86	f	010-598-861														7/7 Enlarged hocks. 7/8 ate stick. Removed. Scales
		6/8	0.960								6/10	.9 0	6/14	0.94		
87		006-774-812														Assisted hatch, delayed hatch. 9/12 turned leg. Put down
		6/9	0.940								6/10	.9 0	6/14	0.8		
1	f	008-038-800				6/29	1.4	7/1	1.44	7/7	1.50	7/18	2.78			Dead 7/25

Hatcher set at 95.3

Supplement only from hatch. 6/19 Added silkworms, legs turning. 6/20 changed diet to egg + chicken heart, and chicken liver. All birds on egg only are having problems. The eggs may be toxic from the drought and lack of pasture.

ID	Sex	Weights														Notes
		Hatch	Hatch wt	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	
2	m	010-523-313		6/18	0.76	6/29	1.12	7/1	1.2	7/7		7/19	.98		Broken wing. Set. Clipped long feathers. 7/12 .94, 7/14 .94, +3. Dead 7/25	
		6/14	0.750				+2		+4				+3			
3	f	095-786-101				6/29	1.46	7/1	1.52	7/7	1.54	7/18	2.56		7/7 Enlarged hocks.	
		6/14	0.840				+2		+1							
4	m	106-370-012				6/29	1.56	7/1	1.1	7/7	1.68	7/18	2.74			
		6/14	0.880				+1									
5	m	106-371-126				6/29	1.32	7/1	1.1	7/7	1.46	7/18	2.34		Enlarged hocks 7/18	
		6/14	0.860				+1									
6	f	106-277-284				6/29	1.50	7/1	1.1	7/7	1.56	7/18	2.5		Dead 9/10	
		6/14	0.850				+2									
7	m	106-538-534				6/29	1.14	7/1	1.2	7/7	1.26	7/18	2.48		White. 7/7 perfect beautiful. Dead 12/29 cold	
		6/14	0.790				+1		+2							
8	f	096-837-273				6/29	1.64	7/1	1.1	7/7	1.56	7/18	2.9		7/7 Bent legs Dead8/9	
		6/14	0.920				+1									
9	m	106-337-042				6/29	1.74	7/1	1.78	7/7	1.46	7/18	2.26		7/5 Steroid for bee sting. Eyes shut. Dead 12/30	
		6/14	0.910				+2		+1				+2			
10	m	106-550-368				6/29	1.38	7/1	1.48	7/7	1.5	7/18	2		7/5 Bent legs Dead8/8 bee stings	
		6/14	0.950				+2		+2							
11	m	106-073-517				6/29	1.06	7/1	1.14	7/7	1.28	7/18	1.78			
		6/22	0.860						+1				+1			
12	f	106-375-063				6/29	1.06	7/1	1.06	7/7	1.26	7/18	2.02			
		6/22	0.940						+1							
13	f	106-357-118				6/29	1.02	7/1	1.2	7/7	1.32	7/18	2.86			
		6/22	0.860						+1				+2			
14	f	106-048-840				6/29	0.84	7/1	1	7/7	1.12	7/18	1.96			
		6/22	0.920						+1							
15	m	106-546-003				6/29	0.98	7/1	1.08	7/7	1.22	7/18	1.38			
		6/22	0.980													
16	m	096-838-830				6/29	0.94	7/1	1.22	7/7	1.5	7/18	2.98		Dead 8/12	
		6/22	0.950													
17	m	106-088-598				6/29	0.9	7/1	1	7/7	1.08	7/18	2.06			
		6/22	0.820										+2			
18	f	106-298-622				6/29	1.06	7/1	1.06	7/7	1.2	7/18	1.96		Dead 12/29	
		6/22	0.900													
19	f	106-328-095				6/29	1.06	7/1	1.18	7/7	1.26	7/18	2.42		Dead 9/1	
		6/22	0.900													

ID	Sex	Weights														Notes	
		Hatch	Hatch wt	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill		
20	f	096-849-958	6/22	0.820			6/29	1.08	7/1	1.22	7/7	1.5	7/18	3.02			7/18 enlarged hocks
47	f	096-835-847	6/24	1.010			6/29	0.96	7/1	1.02 +1	7/7	1.24	7/18	2.6 +2			
49	m	106-357-863	6/24	0.900			6/29	0.98	7/1	.98 +1	7/7	1.2 +1	7/18	2.02			
81	f	106-526-341	6/24	0.930			6/29	1.02	7/1	1.22	7/7	1.44	7/18	2.06			
88	f	011-121-080	6/24	0.950			6/29	1	7/1	0.98	7/7	1.22	7/18	2.02			stargazer Dead 12/29 cold 8/11
91	f	106-292-863	6/24	0.860			6/29	0.82	7/1	1	7/7	1.28 +2	7/18	2.68 +1			
92	m	106-096-013	6/24	0.880			6/29	0.92	7/1	0.92	7/7	1.08	7/18	1.8 +1			Dead 8/9
93	f	106-536-314	6/24	0.860			6/29	0.98	7/1	1.08	7/7	1.52 +1	7/18	3			
94		106-049-880	6/24	0.760			6/29	0.96	7/1		7/7		7/18				leg rotation at 5 days old. Put down 6/29
95	m	106-109-095	6/24	0.870			6/29	0.94	7/1	1	7/7	1.12	7/18	2.24			
96	f	106-075-319	6/24	0.860			6/29	0.98	7/1	1.08	7/7	1.3 +1	7/18	2.4			Dead 9/3 predator 7.52#
97		106-049-783	6/24	0.790			6/29	0.98	7/1		7/7		7/18				Dead 6/27 Put down. Hatched with a leg rotation.
98	m	096-834-852	6/24	0.880			6/29	0.94	7/1	0.98	7/7	1.24	7/18	2.24			
99	m	095-772-628	6/24	0.950			6/29	1.08	7/1	1.04	7/7	1.24 +1	7/18	2.28			
34	m	095-779-014	6/25	0.960	7/4	1.4	7/7	1.6 +1	7/14				7/18	2.1			
40	m	096-837-521	6/25	0.940	7/4	1.2	7/7		7/14	1.8 +1			7/18	1.98			
43	m	106-373-051	6/26	0.960	7/4	0.98	7/7	0.94	7/14				7/18				Dead 7/5 reason unknown.
44	f	106-075-297	6/26	0.810	7/4	.98 +1	7/7		7/14	1.46			7/18	1.84 +1			Dead 8/16
46	f	106-057-612	6/26	0.920	7/4	1.02	7/7	1.12 +1	7/14				7/18	2.2			
48	f	106-376-036	6/26	0.890	7/4	1.05 +1	7/7		7/14	1.68 +2			7/18	1.86 +1			Dead 8/28 poison

ID	Sex	Weights														Notes
		Hatch	Hatch wt	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	
49	f	106-544-636 6/26	0.910	7/4	1.12	7/7	1.1 +1	7/14				7/18	1.86			
88	f	096-835-287 7/2	0.970					7/14	1.06 +1			7/18	1.38 +1			Outside 7/4.
89		106-064-116 7/2	0.900					7/14				7/18				Outside 7/4. Dead bees-anaphylactic shock.
91	m	096-845-376 7/2	0.900					7/14	1			7/18	1.24			Outside 7/4. Steroids. Shock
94	f	096-835-771 7/2	0.890					7/14	1.18			7/18	1.52			Outside 7/4. White
95	f	106-377-369 7/2	1.010					7/14	1.46 +1			7/18	1.84 +3			
96		106-296-017 7/2	0.850					7/14				7/18				Outside 7/4. Dead bees-anaphylactic shock.
97	m	106-593-013 7/3	0.720					7/14	0.96			7/19	1.12 +2			8/24 14.6. Dead 12/30
99		106-268-634 7/4	0.830					7/14	0.72			7/19	1			Will die, deformed 7/22 1.03 +3
98		106-344-308 7/5	0.830					7/14	0.88			7/19	0.98			dead 8/26
100	m	096-837-558 7/5	0.850					7/14	1			7/19	1.22 +1			dead 8/17
392	m	106-298-346 7/5	0.810					7/14	0.98			7/19	1.26			white 7/22 1.03 +3
394		106-051-886 7/6	0.830					7/14	0.6			7/19	0.4			white dead 7/20 Head wide, orbits enlarged.
11	f	106-107-371 7/8	0.920					7/14	1.06			7/19	1.38 +1			Dead 8/21
12	m	106-054-845 7/8	0.940					7/14	0.98			7/19	1.3 +1			8/24 1.68
13		106-067-593 7/9	0.950					7/14	0.98			7/19	1.28 +2			
14	m	106-279-302 7/12	0.990					7/14	1.08			7/19	1.2			7/22 1.54
15		006-774-812 7/14	0.860									7/19	0.94			7/25 1.32 dead 8/16
g43		no chip		6/29	1.1	7/1	1.22	7/7	1.48			7/18	2.86			
3		011-529-581 7/15	0.995									7/19	1.08			7/25 1.66+2 dead 8/10

Chick log 2005

ID	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill	Date	WT bill
	76	6/18	1.2 +3	6/29	1.56 +4	7/1	1.62 +2	7/7				
78	6/18	2.1 0	6/29	2.1 0	7/1	2.04 1	7/7		7/19	1.76		
79	6/18	1.58 1	6/29	1.5 0	7/1		7/7		7/19	2		
84	6/18	1.2	6/29	1.5 +4	7/1	1.4 +4	7/7					
85	6/18		6/29		7/1		7/7					
86	6/18	1.28 0	6/29	1.14 0	7/1	.94 +4	7/7					
87	6/18	1.8 0	6/29	1.72 +2	7/1	1.64 +2	7/7	1.5 +3				
88	6/18		6/29		7/1		7/7					
89	6/18	1.6 +2	6/29	1.58 +1	7/1	1.62 +1	7/7	1.52 +1				
83	6/18		6/29		7/1		7/7					
77	6/18		6/29		7/1		7/7					
90	6/18		6/29		7/1		7/7					
76			6/29		7/1		7/7					
77	6/18	1.04 +2	6/29	1.2 +2	7/1	1.3 +1	7/7	1.42 +1				
78	6/18	1.48 +3	6/29	1.64 +1	7/1	1.68 +2	7/7		7/18	2.62		
80	6/18	1.34 +4	6/29	1.02 +4	7/1	.98 +2	7/7					
81	6/18		6/29		7/1		7/7					

